

GENERAL POST OFFICE: E-IN-C ( S )

Specification: <b>G.P.O./CV2003/Issue 2</b>	<u>SECURITY</u>	
Dated: <b>February 1953</b>	<u>Specification</u>	<u>Valve</u>
To be read in conjunction with K 1001	Unclassified	Unclassified

—————> indicates a change

<u>TYPE OF VALVE:</u> <b>Miniature H.F. Pentode</b> <u>CATHODE:</u> <b>Indirectly heated</b> <u>ENVELOPE:</u> <b>Glass</b> <u>PROTOTYPE</u> <b>CV 136</b>	<div style="text-align: center;"><u>MARKING</u></div> <div style="text-align: center;">See K 1001/4.1</div>
	<div style="text-align: center;"><u>PACKING</u></div> <div style="text-align: center;">See K 1005</div>
	<div style="text-align: center;"><u>BASE</u></div> <div style="text-align: center;">B7G/B</div>
<p style="text-align: center;">This valve is the CV136 with tags welded to the pins and fitted with PTFE disc, in accordance with P.O. drawing CD 712, intended for mounting in a B7G solder-in Valveholder.</p> <p style="text-align: center;">(See Outline drawing on page 2)</p>	

CV2003

## OUTLINE DRAWING

