

## VALVE ELECTRONIC CV2011

GENERAL POST OFFICE: E-IN-C (S)

Specification: <b>GPO/CV2011/Issue 2</b> Dated: <b>February 1953.</b> To be read in conjunction with K 1001	<table border="1"> <tr> <th colspan="2">SECURITY</th></tr> <tr> <th><u>Specification</u></th><th><u>Valve</u></th></tr> <tr> <td>Unclassified</td><td>Unclassified</td></tr> </table>	SECURITY		<u>Specification</u>	<u>Valve</u>	Unclassified	Unclassified
SECURITY							
<u>Specification</u>	<u>Valve</u>						
Unclassified	Unclassified						

—————> indicates a change

<u>TYPE OF VALVE:</u> <b>Double Triode</b> <u>CATHODE:</u> <b>Indirectly heated</b> <u>ENVELOPE:</u> <b>Glass, unmetallised</b> <u>PROTOTYPE</u> <b>CV 492</b>	<u>MARKING</u> <b>See K 1001/4.1</b> <u>PACKING</u> <b>See K 1005</b>
<p>This valve is a CV 492 with tags welded to the pins and fitted with SRBP disc, in accordance with P.O. drawing CD 733, intended for mounting in a B9A Solder-in Valveholder</p> <p>(See Outline Drawing on page 2)</p>	<u>BASE</u> <b>B9A/B</b>

# CV2011

## OUTLINE DRAWING

