

GENERAL POST OFFICE: E-IN-C (S)

Specification: <b>GPO/CV 2012/Issue 1</b> Dated: <b>February 1953.</b> To be read in conjunction with K 1001	<table> <tr> <th colspan="2"><u>SECURITY</u></th></tr> <tr> <td><u>Specification</u></td><td><u>Valve</u></td></tr> <tr> <td><b>Unclassified</b></td><td><b>Unclassified</b></td></tr> </table>	<u>SECURITY</u>		<u>Specification</u>	<u>Valve</u>	<b>Unclassified</b>	<b>Unclassified</b>
<u>SECURITY</u>							
<u>Specification</u>	<u>Valve</u>						
<b>Unclassified</b>	<b>Unclassified</b>						

—————> indicates a change

<u>TYPE OF VALVE:</u> <b>Gas Filled Voltage Reference Tube</b> <u>CATHODE:</u> <b>Cold</b> <u>ENVELOPE:</u> <b>Glass, unmetallised</b> <u>PROTOTYPE</u> <b>CV 449</b>	<u>MARKING</u> <b>See K 1001/4</b>  <u>PACKING</u> <b>See K 1005</b>
<p>This Valve is a CV 449 with tags welded to the pins and fitted with SRBP disc. in accordance with P.O. drawing CD 712 intended for mounting in a B7G Solder-in Valveholder.</p> <p>(See Outline Drawing on page 2)</p>	<u>BASE</u> <b>B7G/B</b>

## OUTLINE DRAWING

