

VALVE ELECTRONIC

CV2022

GENERAL POST OFFICE: E-IN-C ( S )

| Specification: <b>GPO/CV2022/Issue 1</b><br>Dated: <b>May 1954</b><br>To be read in conjunction with K 1001 | <table> <tr> <th colspan="2" data-bbox="644 267 900 327"><u>SECURITY</u></th></tr> <tr> <th data-bbox="644 327 900 378"><u>Specification</u></th><th data-bbox="900 327 1134 378"><u>Valve</u></th></tr> <tr> <td data-bbox="644 378 900 430"><b>Unclassified</b></td><td data-bbox="900 378 1134 430"><b>Unclassified</b></td></tr> </table> | <u>SECURITY</u> |  | <u>Specification</u> | <u>Valve</u> | <b>Unclassified</b> | <b>Unclassified</b> |
|---|---|-----------------|--|----------------------|--------------|---------------------|---------------------|
| <u>SECURITY</u>   |   |                 |  |                      |              |                     |                     |
| <u>Specification</u>  | <u>Valve</u>  |                 |  |                      |              |                     |                     |
| <b>Unclassified</b>   | <b>Unclassified</b>   |                 |  |                      |              |                     |                     |

—————> indicates a change

|  |                                   |
|--|-----------------------------------|
| <u>TYPE OF VALVE:</u> <b>Output Beam Tetrode</b><br><u>CATHODE:</u> <b>Indirectly heated</b><br><u>ENVELOPE:</u> <b>Glass, unmetallised</b><br><u>PROTOTYPE</u> <b>CV 2136</b>   | <u>MARKING</u><br><br>See K1001/4 |
|  | <u>PACKING</u><br><br>See K1005   |
|  | <u>BASE</u><br><br>B9A/B          |
| <p><b>This valve is a CV 2136 with tags welded to the pins and fitted with an SREP disc, in accordance with P.O. drawing CD 733 intended for mounting in a B9A Solder-in Valveholder.</b></p> <p>(See outline drawing on Page 2)</p> |                                   |

CV2022

## OUTLINE DRAWING

