


GENERAL POST OFFICE: E-IN-C (S)

VALVE ELECTRONIC

CV 2029

<p>Specification: G.P.O./CV2029/ISSUE 1</p> <p>Dated: JUNE, 1962</p> <p>To be read in conjunction with K 1001</p>	<table> <tr> <th colspan="2">SECURITY</th></tr> <tr> <th><u>Specification</u></th><th><u>Valve</u></th></tr> <tr> <td>UNCLASSIFIED</td><td>UNCLASSIFIED</td></tr> </table>	SECURITY		<u>Specification</u>	<u>Valve</u>	UNCLASSIFIED	UNCLASSIFIED
SECURITY							
<u>Specification</u>	<u>Valve</u>						
UNCLASSIFIED	UNCLASSIFIED						

→ indicates a change

<p><u>TYPE OF VALVE:</u> VOLTAGE STABILISER</p> <p><u>CATHODE:</u> COLD</p> <p><u>ENVELOPE:</u> GLASS UNMETALLISED</p> <p><u>PROTOTYPE</u> VX372</p>	<p><u>MARKING</u></p> <p>SEE K 1001/4.1</p> <p><u>PACKING</u></p> <p>SEE K 1005</p>
	<p><u>BASE</u></p> <p>B7G/B</p>

This valve is the CV395 with tags welded to the pins and fitted with S.R.B.P. disc, in accordance with P.O. drawing CD 712 intended for mounting in a B7G Solder-in Valveholder.

(See outline drawing on page 2)

CV2029

OUTLINE DRAWING

Page 2

